5616596313

T-425 P.03

F-719

RECEIVED CENTRAL FAX CENTER

SEP 1 3 2006

In re Application of: Brackett N. L., et al.

Confirmation No: 6890

Application No.: 10/748,637 Examiner: SCHUBERG, L. J.

Response to June 13, 2006 Office Action

Page- 2 -

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Original). A method of increasing motility of sperm, the method comprising the steps of:
- a) providing from a subject a biological sample comprising sperm and at least one cytokine; and
- b) contacting the biological sample with an agent that macrivates or reduces the biological activity of the at least one cytokine selected from the group consisting of TNFα, IL1β, and IL6.
- 2. (Original). The method of claim 1, wherein the subject has a condition that impairs fertility.
 - 3. (Original). The method of claim 2, wherein the condition is leukocytospermia.
- 4. (Currently amended). The method of claim 1, wherein the subject has spinal cord injury (SCI).
- 5. (Original). The method of claim 1 wherein the biological sample comprises a fluid produced by the male reproductive tract.

In re Application of: Brackett N. L., et al.

Confirmation No: 6890

Application No.:

10/748,637

Examiner: SCHUBERG, L. J.

Response to June 13, 2006 Office Action

Page- 3 -

- (Original). The method of claim 1, wherein the biological sample comprises 6. semen.
- (Original). The method of claim 1, wherein biological sample comprises a fluid 7. produced by the female reproductive tract.
- (Original). The method of claim 1, wherein the agent is an antibody that 8. specifically binds to the at least one cytokine.
- (Original). The method of claim 8 wherein the at least one cytokine comprises 9. TNFa.
- (Original). The method of claim 8 wherein the at least one cytokine comprises 10. IL1B.
- (Original). The method of claim 8 wherein the at least one cytokine comprises 11. IL6.
- (Original). The method of claim 1, wherein the agent is an antibody specifically 12. binds to the at least one cytokine receptor selected from the group consisting of TNFa receptor, IL1B receptor, and IL6 receptor.
- (Original). The method of claim 12, wherein the at least one cytokine receptor 13. comprises a TNFa receptor.

{WP333289;1}

In re Application of: Brackett N. L., et al.

Confirmation No: 6890

Application No.: 10/748,637 Examiner: SCHUBERG, L. J.

Response to June 13, 2006 Office Action

Page- 4 -

- 14. (Original). The method of claim 12, wherein the at least one cytokine receptor comprises an IL1 β receptor.
- 15. (Original). The method of claim 12, wherein the at least one cytokine receptor comprises an IL6 receptor.
- 16. (Original). The method of claim 1, wherein the agent is a soluble cytokine receptor that specifically binds to the at least one cytokine.
- 17. (Original). The method of claim 16, wherein the soluble cytokine receptor comprises a soluble TNFa receptor.
- 18. (Original). The method of claim 16, wherein the soluble cytokine receptor comprises a soluble IL1β receptor.
- 19. (Original). The method of claim 16, wherein the soluble cytokine receptor comprises a soluble IL6 receptor.